

Page 3, line 10, after "accordingly" insert --,--.

Page 4, line 13, after "and" insert --,--.

Page 4, line 13, after "accordingly" insert --,--.

line 14, delete "couple of".

line 14, after "force" insert --couple--.

line 15, delete "an".

Page 5, line 8, delete "practical" and insert --practice--.

lines 13 and 14, delete "result in the circuit to be complicated and increased in cost" and insert --results in an expensive and complicated circuit--.

Page 6, line 16, delete "alternately".

line 23, delete "Further" and insert -- A further--.

Page 11, line 18, delete "crawl-pole type" and insert --claw-type--.

Page 12, line 4, delete "said" and insert --the--.

line 5, delete "crawl" and insert --claw--.

line 8, delete "said" (both occurrences) and insert --the--.

line 10, delete "said crawl" and insert --the claw--.

line 14, delete "the" and insert --a--.

line 16, delete "crawl" and insert --claw--.

line 19, delete "crawl" and insert --claw--.

line 22, delete "said" and insert --the--.

Page 13, lines 2, 3, and 7, delete "said" and insert --the--.

09/640,144 - Sakamoto
Attorney Docket 134.137
Page 2

Page 14, line 18, delete "crawl-pole type" and insert --claw-type--.

Page 30, line 11, delete "crawl-pole type" and insert --claw-type--.

lines 22 and 23, delete "crawl" and insert --claw--.

line 24, delete "said crawl" and insert --the claw--.

Page 31, line 4, delete "crawl" (both occurrences) and insert --claw--.

line 8, delete "crawl" (both occurrences) and insert --claw--.

Page 32, lines 3, 6, 8, and 10, delete "crawl" and insert --claw--.

line 12, delete "said crawl" (both occurrences) and insert --the claw--.

lines 13 and 14, delete "said crawl" and insert --the claw--.

Page 33, lines 20, 22, and 24, delete "crawl" and insert --claw--.

Page 34, line 2, delete "crawl" and insert --claw--.

line 5, after "star" insert --or delta--.

IN THE CLAIMS

Cancel claims 7-19.

ABSTRACT OF THE DISCLOSURE

Page 50, cancel the title and substitute -- MAGNET TYPE STEPPING MOTOR --.

REMARKS

The specification has been revised to add cross-reference to the parent application and to correct minor typographical errors in the specification. The claims have been amended to cancel claims 7-19, subject of two separate divisional applications. Claims 1-6 remain in the application and are under consideration.